| FUNCTION | ROOM | AUTHORIZED | | PLANNING RANGE/COMMENTS |
|----------|------|----------------|-----|--------------------------|
| FUNCTION | CODE | m ² | nsf | T LANNING RANGE/COMMENTS |

2.1. PURPOSE AND SCOPE:

This section provides draft guidance for the space planning criteria for veterinary activities in DOD medical facilities.

2.2. DEFINITIONS:

<u>Veterinary Facility:</u> A medical facility equipped and staffed to perform the entire spectrum of veterinary services required by a military installation. Normally, a veterinary facility will include: offices for the Veterinarian and section chiefs; conference room/library; food inspection room; waiting room for visitors/outpatients; veterinary examination/treatment rooms; veterinary surgery room; x-ray facilities; pharmacy; clinical laboratory room; inside rabies quarantine kennel rooms; inside-outside kennel area for hospitalized Government owned animals; toilets and showers; employee lounge; locker and dressing rooms; linen room; and storage space for records, supplies, and cleaning equipment.

<u>Veterinary Food Inspection Room:</u> A room adequately equipped for the performance of installation food testing and examination process.

<u>Veterinary Examination/Treatment Room:</u> A room adequately equipped for the performance of professional veterinary examinations and treatments.

<u>Veterinary Surgery Room:</u> A room with adequate space designed and adequately equipped for the performance of aseptic surgical procedures on nonhuman animals.

<u>Veterinary Waiting Room:</u> A room with adequate space to permit the entering of animals without contact with the animals/owners already present. <u>NOTE:</u> Military working dogs must be handled in such a way that there will be no eye contact or possible physical contact between military and civilian animals. Military working dogs should enter through a separate entrance.

Rabies Quarantine Kennel Room: A separate room designed and equipped to house rabies suspect animals. NOTE: No more than one animal will occupy the same cage or kennel at the same time.

<u>Hospital Kennel Area:</u> A kennel facility adequately equipped with inside-outside kennels to hospitalize animals.

<u>Government Owned Animals:</u> Animals purchased and /or maintained with appropriated funds, for the accomplishment of an authorized mission.

<u>Veterinary Clinic Laboratory:</u> As used in this document, a laboratory of limited capability within a veterinary clinic to be used in the performance of certain diagnostic tests.

Pharmacy Storage Area: An area designed and equipped for the storage and bulk dispensing of veterinary pharmaceutical supplies. Individual prescriptions are not filled from this area.

<u>Inside-Outside Kennel:</u> A kennel inside a building with an attached, partially covered, outdoor run. A guillotine type door to allow isolation of the animals during cleaning operations attaches the indoor and outdoor areas.

Stray Animal Confinement Facility: A kennel facility separate from the rabies quarantine room and hospitalization kennels, which is used to confine animals, apprehended as strays.

| FUNCTION | ROOM | AUTHO | ORIZED | PLANNING RANGE/COMMENTS |
|----------|------|----------------|--------|-------------------------|
| FUNCTION | CODE | m ² | nsf | FLAMMING KANGE/COMMENTS |

2.3 POLICIES:

The space planning criteria as outlined in this document are provided as guidance to assist in the development of veterinary facilities essential for high quality service. Modification of the criteria may be necessary to meet specific mission requirements but any such modification will require OASD (HA) approval. Specific requirements for facilities not covered by this document will be developed on an individual basis and will also require OASD (HA) approval.

The complete scope of the veterinary mission and the total number of veterinary personnel authorized to an installation will be used as a basis for establishing future facility projections. The current personnel authorized will be adjusted for planned changes in mission, changes in population served, changes in the practice of veterinary medicine, and other factors as may be pertinent.

Veterinary facilities will be consolidated into the minimum number of facilities consistent with providing effective and efficient veterinary services. Veterinary facilities may be combined with other medical service facilities when feasible.

All construction will conform to Title 9, Code of Federal Regulations, Chapter 1, and Subchapter Animal Welfare.

At DOD installations where one of more Army Veterinary Corps Officers is assigned for regular duty, veterinary facilities will be established.

The spaces listed below are normally required for veterinary support at installations. It is not intended that planners include each functional area listed herein, unless there is a valid requirement at the installation under construction.

- (1) Office of the Chief Veterinarian
- (2) Administrative Support Area
- (3) Conference Room Library
- (4) Food Inspection and Laboratory Area
- (5) Veterinary Examination and Treatment Rooms
- (6) Veterinary Surgery Room
- (7) X-ray Exposure and Radiographic Film Development Rooms*
- (8) Pharmacy Storeroom
- (9) Clinic Laboratory Area
- (10) Utility and Supply Area (for Clinic)
- (11) Rabies Quarantine Kennels
- (12) Hospitalization Kennels
- (13) Utility Area (for Kennels)
- (14) Veterinary Clinic Reception and Control Area
- (15) Patient Handler Waiting Area
- (16) Clinic Records Holding Area
- (17) Toilets, Showers, Locker Rooms
- (18) Employees' Lounge
- (19) Custodial Facility
- (20) Stray Animal Confinement Kennels

| FUNCTION | ROOM | AUTHORIZED | | PLANNING RANGE/COMMENTS |
|----------|------|----------------|-----|-------------------------|
| FUNCTION | CODE | m ² | nsf | FLAMMING RANGE/COMMENTS |

^{*}Where the number of x-ray exposures is expected to remain at a low level, one treatment room should be lead lined for use as a part time x-ray exposure room, and no dedicated x-ray exposure room will be provided.

2.4. PROGRAM DATA REQUIRED:

2.5. SPACE CRITERIA:

STAFF AND ADMINISTRATIVE AREAS

| Chief, Vet Services | OFDR1 | 13.01 | 140 | One per facility. |
|--------------------------------|-------|-------|-----|----------------------------------------------------|
| Office, Veterinarian | OFDR1 | 11.15 | 120 | One per veterinarian assigned |
| Secretary | SEC01 | 11.15 | 120 | One per facility, includes 2 visitors chairs |
| NCOIC | OFA01 | 11.15 | 120 | One per facility. |
| Administrative Office | OFA01 | 11.15 | 120 | Minimum or 60 nsf per FTE or vet technician |
| Administrative Office | OTAOT | 11.13 | 120 | that requires an office whichever is greater |
| | | | | Only when 14 or more FTE staff are assigned. If |
| Conference Room/Library | CRA01 | 18.58 | 250 | less that 14 FTE staff assigned, add 40 NSF to |
| | | | | lounge and combine functions |
| Control Area | RECP1 | 13.01 | 140 | If FTE assigned. |
| Waiting | WRC01 | 18.58 | 200 | Minimum plus 14 NSF per exam/treatment room |
| vv aiting | WRC01 | 10.50 | 200 | greater than three |
| Staff Lounge (GP) | SL001 | 13.01 | 140 | Minimum. See Section 6.1 for increase in size |
| | | | | For staff without a dedicated office/cubicle |
| Personal Property Lockers (GP) | LR001 | 1.86 | 20 | space. See Section 6.1 for increase in size or for |
| | | | | Locker Room, Changing criteria. |
| | | | | Minimum for total clinic staff of at least 10. See |
| Staff Toilet (GP) | TLTU1 | 4.65 | 50 | Section 6.1 for increase in size and for |
| | | | | male/female breakdown. |

TREATMENT AREAS

| Examination/Treatment | VEX01 | 11.15 | 120 | Per assigned Veterinarian including Chief Veterinarian. |
|-----------------------|-------|-------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Veterinary Surgery | VS001 | 18.58 | 200 | Authorized only when 10 or more military working dogs are assigned to the installation |
| X-Ray Exposure Room | VXER1 | 13.94 | 150 | Authorized only when 1,000 or more annual outpatient visits are planned. If less than 1,000 annual outpatient visits, combine into an exam/treatment room |
| X-Ray Film Darkroom | XFP01 | 9.29 | 100 | One per x-ray exposure room |
| Pharmacy | PHUD1 | 11.15 | 120 | Minimum plus 10 NSF per each additional 1,000 annual outpatient visits |
| Laboratory | VLB01 | 11.15 | 120 | Minimum plus 10 NSF per each additional 1,000 annual outpatient visits |

| FUNCTION | ROOM | AUTHORIZED | | PLANNING RANGE/COMMENTS |
|----------|------|----------------|-----|--------------------------|
| FUNCTION | CODE | m ² | nsf | T LANNING RANGE/COMMENTS |

HOLDING AND QUARANTINE AREAS

| Kennel Inside/outside | VKEN1 | 5.57 | 60 | |
|----------------------------------|-------|-------|-----|---------------------------------------------------------------------------------------------------------------------------|
| Rabies Quarantine Area | VKEN2 | 3.72 | 40 | Per canine, 2 per facility. |
| Feline Kennel | VKEN3 | 0.93 | 10 | Per feline, minimum 2 per facility. Add one canine and one feline per each 12 estimated suspects per year greater than 24 |
| Hospitalization Kennel | VKEN2 | 3.72 | 40 | Minimum of 2 inside-outside kennels plus 60 NSF per each 10 military working dogs assigned greater than 20 |
| | VKEN1 | 3.72 | 40 | Canine, minimum 2 per facility |
| Stray Animal Confinement Kennels | VKEN2 | 0.93 | 10 | Feline, minimum 2 per facility. Add one canine and one feline for each 24 strays greater than 48 per year |
| Food Preparation Room | VFP01 | 5.57 | 60 | To prepare food for kennel animals |
| Large Animal Holding Area | VLAH1 | 16.26 | 175 | |
| Utility and Storage Area | SRSE1 | 13.94 | 150 | One per Holding/Quarantine area |

FOOD INSPECTION

| Food Inspection Room | VFIL1 | 32.52 | 350 | Minimum. If more that 4 vet technician/officers assigned to food inspection activities add 90 NSF for each additional veterinary technician/officer assigned |
|----------------------|-------|-------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|----------------------|-------|-------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| FUNCTION | ROOM | AUTHORIZED | | PLANNING RANGE/COMMENTS |
|----------|------|----------------|-----|--------------------------|
| FUNCTION | CODE | m ² | nsf | T LANNING RANGE/COMMENTS |

SUPPORT AREASS

| Housekeeping | JANO | C1 | 5.57 | 60 | Minimum, plus 60 NSF for each 5,000 NSF greater that 5,000 | |
|-----------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|------------------------|--------------------------------------------------------------------------------------------------------------------|--|
| Clean Utility | UCC | L1 | 9.29 | 100 | One per facility | |
| Vet utility and storage area | VHA | U1 | 7.43 | 80 | | |
| Cage wash area | VCW | A1 | 5.57 | 60 | | |
| Storage | SRS | 01 | 18.58 | 200 | One per facility | |
| Surgery | VS00 | 01 | 16.72 | 180 | | |
| Animal Run | VRU | N1 | 16.26 | 175 | | |
| Surgery recovery/Preparation Area | VRR | P1 | 5.57 | 60 | | |
| Equipment Charging Room If LSB is not contiguous to the medical facility, program housekeeping within the medical facility. | | 15.79 | 170 | | | |
| Contractor's Lounge | SL001 | 11.15 | 120 | facility s | pecific contract requirements with upervisor. Justification based on how is contracted. | |
| Contractor's Office | OFA01 | 9.29 | 100 | facility s the work | Verify specific contract requirements with facility supervisor. Justification based on how the work is contracted. | |
| Contractor's Storage | | 9.29 | 100 | facility s | pecific contract requirements with upervisor. Justification based on how is contracted. | |